

Cumulative index for SJ1-1–SJ4-4

[an] Announcements

SJ3-4	327	A special issue of the Stata Journal
SJ3-4	328	Introducing Stata tips

[dm] Data management

SJ4-4	486	dm0009	Stata tip 14: Using value labels in expressions
SJ4-4	484	dm0008	Stata tip 13: generate and replace use the current sort order
SJ4-2	220	dm0007	Stata tip 7: Copying and pasting under Windows
SJ4-1	95	dm0006	Stata tip 6: Inserting awkward characters in the plot
SJ4-1	94	dm0005	Stata tip 5: Ensuring programs preserve dataset sort order
SJ4-1	50	dm0004	Standardizing anthropometric measures in children and adolescents with new functions for egen
SJ3-4	448	dm0003	Stata tip 3: How to be assertive
SJ3-4	446	dm0002	Stata tip 2: Building with floors and ceilings
SJ1-1	105	dm0001	Sort a list of items

[gn] General

SJ4-4	480	gn0015	Review of Statistical Evaluation of Measurement Errors by Dunn
SJ4-4	476	gn0014	Review of A Visual Guide to Stata Graphics by Mitchell
SJ4-3	350	gn0013	Review of A Handbook of Statistical Analyses Using Stata by Rabe-Hesketh and Everitt
SJ4-2	216	gn0012	Review of Statistics with Stata (Updated for Version 8)
SJ4-1	93	gn0011	Stata tip 4: Using display as an online calculator
SJ4-1	89	gn0010	Review of Veterinary Epidemiologic Research by Dohoo, Martin, and Stryhn
SJ3-4	440	gn0009	Review of Maximum Likelihood Estimation with Stata by Gould, Pitblado, and Sribney
SJ3-2	208	gn0008	Review of Generalized Estimating Equations by Hardin and Hilbe
SJ3-2	203	gn0007	Review of Statistical Modeling for Biomedical Researchers by Dupont
SJ3-2	105	gn0006	The Stata Journal so far: Editors' report
SJ3-1	100	gn0005	Review of A Short Introduction to Stata for Biostatistics by Hills and De Stavola
SJ2-4	428	gn0004	Review of An Introduction to Survival Analysis Using Stata
SJ2-2	223	gn0003	Review of Statistics with Stata (Updated for Version 7)
SJ2-1	103	gn0002	Review of Regression Models for Categorical Dependent Variables Using Stata by Long and Freese
SJ1-1	98	gn0001	Review of Generalized Linear Models and Extensions by Hardin and Hilbe

[gr] Graphics

SJ4-4	488	gr0010	Stata tip 15: Function graphs on the fly
SJ4-4	449	gr0009	Speaking Stata: Graphing model diagnostics
SJ4-4	361	gr0008	Simple thematic mapping
SJ4-3	357	gr0007	Stata tip 12: Tuning the plot region aspect ratio
SJ4-3	354	gr0006	Stata tip 10: Fine control of axis title positions
SJ4-3	329	gr0005	Speaking Stata: Graphing agreement and disagreement
SJ4-2	190	gr0004	Speaking Stata: Graphing categorical and compositional data
SJ4-1	66	gr0003	Speaking Stata: Graphing distributions
SJ3-3	295	gr0002	Lean mainstream schemes for Stata 8 graphics
SJ1-1	107	gr0001	Generalized Lorenz curves and related graphs: an update for Stata 7

[pr] Programming and utilities

SJ4-3	356	pr0014	Stata tip 11: The nolog option with maximum-likelihood modeling commands
SJ4-2	223	pr0013	Stata tip 9: Following special sequences
SJ4-2	124	pr0012	Submenu and dialogs for meta-analysis commands
SJ3-4	420	pr0011	Speaking Stata: Problems with tables, Part II
SJ3-3	309	pr0010	Speaking Stata: Problems with tables, Part I
SJ3-2	185	pr0009	Speaking Stata: Problems with lists
SJ3-1	81	pr0008	Speaking Stata: On structure and shape: the case of multiple responses
SJ2-4	411	pr0007	Speaking Stata: On getting functions to do the work
SJ2-3	314	pr0006	Speaking Stata: On numbers and strings
SJ2-2	202	pr0005	Speaking Stata: How to face lists with fortitude
SJ2-1	86	pr0004	Speaking Stata: How to move step by: step
SJ1-1	86	pr0003	Speaking Stata: How to repeat yourself without going mad
SJ1-1	76	pr0002	From the help desk
SJ1-1	29	pr0001	Statistical software certification

[st] Statistics

SJ4-4	442	st0079	From the help desk: Seemingly unrelated regression with unbalanced equations
SJ4-4	436	st0078	Boolean logit and probit in Stata
SJ4-4	429	st0077	Confidence intervals for the variance component of random-effects linear models
SJ4-4	421	st0076	Confidence intervals for the kappa statistic
SJ4-4	402	st0075	Controlling for time-dependent confounding using marginal structural models
SJ4-4	379	st0074	Generalized power calculations for generalized linear models and more
SJ4-3	312	st0073	From the help desk: Some bootstrapping techniques
SJ4-3	290	st0072	Implementing matching estimators for average treatment effects in Stata
SJ4-3	282	st0071	Maximum likelihood estimation of endogenous switching regression models
SJ4-3	274	st0070	Analysis of matched cohort data
SJ4-3	265	st0069	Understanding the multinomial-Poisson transformation
SJ4-3	257	st0068	Compliance-adjusted intervention effects in survival data
SJ4-3	227	st0067	Multiple imputation of missing values
SJ4-2	221	st0066	Stata tip 8: Splitting time-span records with categorical time-varying covariates
SJ4-2	180	st0065	From the help desk: Polynomial distributed lag models
SJ4-2	168	st0064	Confidence intervals for kernel density estimation
SJ4-2	154	st0063	Computing interaction effects and standard errors in logit and probit models
SJ4-2	142	st0062	Sample size and power calculations using the noncentral t-distribution
SJ4-2	127	st0061	Funnel plots in meta-analysis
SJ4-2	113	st0060	Production function estimation in Stata using inputs to control for unobservables
SJ4-2	103	st0059	Cumulative incidence estimation in the presence of competing risks
SJ4-1	56	st0058	From the help desk: Kaplan–Meier plots with stsatrisk
SJ4-1	40	st0057	FIML estimation of an endogenous switching model for count data
SJ4-1	27	st0056	Semi-nonparametric estimation of extended ordered probit models
SJ4-1	1	st0055	Analyzing distances
SJ3-4	445	st0054	Stata tip 1: The eform() option of regress
SJ3-4	412	st0053	From the help desk: Local polynomial regression and Stata plugins
SJ3-4	386	st0052	Maximum likelihood estimation of generalized linear models with covariate measurement error

SJ3-4	373	st0051	The simulation extrapolation method for fitting generalized linear models with additive measurement error
SJ3-4	361	st0050	The regression-calibration method for fitting generalized linear models with additive measurement error
SJ3-4	351	st0049	Instrumental variables, bootstrapping, and generalized linear models
SJ3-4	342	st0048	Variance estimation for the instrumental variables approach to measurement error in generalized linear models
SJ3-4	329	st0047	Measurement error, GLMs, and notational conventions
SJ3-3	302	st0046	From the help desk: Swamy's random-coefficients model
SJ3-3	278	st0045	Multivariate probit regression using simulated maximum likelihood
SJ3-3	270	st0044	Do-it-yourself shuffling and the number of runs under randomness
SJ3-3	245	st0043	Confidence intervals and p-values for delivery to the end-user
SJ3-3	226	st0042	Tools for analyzing multiple imputed datasets
SJ3-3	213	st0041	Odds ratios and logistic regression: further examples of their use and interpretation
SJ3-2	178	st0040	From the help desk: hurdle models
SJ3-2	168	st0039	Testing for serial correlation in linear panel-data models
SJ3-2	157	st0038	CDSIMEQ: A program to implement two-stage probit least squares
SJ3-2	148	st0037	Adaptive kernel density estimation
SJ3-2	133	st0036	Exploring the use of variable bandwidth kernel density estimators
SJ3-2	109	st0035	Multiple-test procedures and smile plots
SJ3-1	71	st0034	From the help desk: Bootstrapped standard errors
SJ3-1	57	st0033	Implementing tests with correct size in the simultaneous equations model
SJ3-1	47	st0032	Sample size calculations for main effects and interactions in case-control studies using Stata's nchi2 and npnchi2 functions
SJ3-1	32	st0031	Intra-class correlation in random-effects models for binary data
SJ3-1	1	st0030	Instrumental variables and GMM: Estimation and testing
SJ2-4	403	st0029	From the help desk: Demand system estimation
SJ2-4	391	st0028	The clustergram: A graph for visualizing hierarchical and nonhierarchical cluster analysis
SJ2-4	378	st0027	Programmable GLM: Two user-defined links
SJ2-4	358	st0026	Estimation of average treatment effects based on propensity scores
SJ2-4	351	st0025	Two-graph receiver operating characteristic
SJ2-4	331	st0024	Using Aalen's linear hazards model to investigate time-varying effects in the proportional hazards regression model

SJ2-3	301	st0023	From the help desk: Comparing areas under receiver operating characteristic curves from two or more probit or logit models
SJ2-3	296	st0022	Least likely observations in regression models for categorical outcomes
SJ2-3	290	st0021	Choosing an appropriate real-life measure of effect size: the case of a continuous predictor and a binary outcome
SJ2-3	280	st0020	Comparative assessment of three common algorithms for estimating the variance of the area under the nonparametric receiver operating characteristic curve
SJ2-3	267	st0019	Estimation of sensitivity and specificity arising from validity studies with incomplete designs
SJ2-3	253	st0018	The robust variance estimator for two-stage models
SJ2-3	227	st0017	Structural choice analysis with nested logit model
SJ2-2	190	st0016	From the help desk: It's all about the sampling
SJ2-2	183	st0015	A note on the concordance correlation coefficient
SJ2-2	164	st0014	G-estimation of causal effects, allowing for time-varying confounding
SJ2-2	151	st0013	A menu-driven facility for complex sample size calculation in randomized controlled trials with a survival or a binary outcome
SJ2-2	140	st0012	strbee: Randomization-based efficacy estimator
SJ2-2	125	st0011	Bootstrapping a conditional moments test for normality after tobit estimation
SJ2-2	107	st0010	Power by simulation
SJ2-1	71	st0009	From the help desk: Transfer functions
SJ2-1	65	st0008	Analysis of quantitative traits using regression and log-linear modeling when phase is unknown
SJ2-1	45	st0007	Parameters behind "nonparametric" statistics: Kendall's tau, Somers' D, and median differences
SJ2-1	22	st0006	Parametric frailty and shared frailty survival models
SJ2-1	1	st0005	Reliable estimation of generalized linear mixed models using adaptive quadrature
SJ1-1	101	st0004	Residual diagnostics for cross-section time series regression models
SJ1-1	58	st0003	Haplotype analysis in population-based association studies
SJ1-1	51	st0002	Predicted probabilities for count models
SJ1-1	1	st0001	Flexible parametric alternatives to the Cox model, and more

[up] Software updates

SJ4-3	359	gr0002_3	Lean mainstream schemes for Stata 8 graphics
SJ4-2	224	gr0002_2	Lean mainstream schemes for Stata 8 graphics
SJ4-1	97	gr0002_1	Lean mainstream schemes for Stata 8 graphics
SJ4-4	490	gr0001_1	Generalized Lorenz curves and related graphs
SJ4-1	97	gr42_2	Quantile plots, generalized
SJ3-4	449	gr41_2	Distribution function plots
SJ3-2	211	gr41_1	Distribution function plots
SJ4-3	242	gr32_1	Graphing confidence ellipses: An update of ellip for Stata 8
SJ4-4	490	gr22_1	Binomial smoothing plot
SJ4-4	490	gr3_2	Crude 3-dimensional graphics
SJ4-1	97	ip24_1	Timing portions of a program
SJ4-4	490	sbe36_2	Summary statistics for diagnostic test
SJ3-2	211	sbe31_1	Exact confidence intervals for odds ratios from case-control studies
SJ3-4	449	sbe19_5	Tests for publication bias in meta-analysis
SJ4-4	490	sg159_1	Confidence intervals for correlations
SJ3-3	325	sg151_1	B-splines and splines parameterized by their values at reference points on the x-axis
SJ4-2	224	sg150_1	Hardy–Weinberg equilibrium test in case-control studies
SJ4-3	359	sg144_1	Marginal effects of the tobit model
SJ3-2	211	sg113_1	Tabulation of models
SJ3-4	449	sg67_2	Numbers of present and missing values
SJ3-3	325	snp16_2	Robust confidence intervals for median and other percentile differences between two groups
SJ3-3	325	snp15_4	somersd — Confidence intervals for nonparametric statistics and their differences
SJ2-4	432	snp9_1	Kornbrot’s rank difference test
SJ4-4	490	sqv10_1	Extended multinomial comparisons
SJ4-3	359	st0063_1	Computing interaction effects and standard errors in logit and probit models
SJ4-4	491	st0058_2	From the help desk: Kaplan–Meier plots with stsatrisk
SJ4-2	224	st0058_1	From the help desk: Kaplan–Meier plots with stsatrisk
SJ4-3	359	st0043_1	Confidence intervals and p-values for delivery to the end-user
SJ4-4	491	st0038_1	CDSIMEQ: A program to implement two-stage probit least squares
SJ4-1	97	st0037_1	Adaptive kernel density estimation

SJ4-2	224	st0030.1	Instrumental variables and GMM: Estimation and testing
SJ4-2	224	st0026.1	Estimation of average treatment effects based on propensity scores
SJ2-4	432	st0022.1	Least likely observations in regression models for categorical outcomes
SJ4-4	491	st0015.1	Concordance correlation coefficient
SJ4-2	224	st0004.2	Residual diagnostics for cross-section time series regression models
SJ3-2	211	st0004.1	Residual diagnostics for cross-section time series regression models
SJ2-2	226	st0001.1	Flexible parametric alternatives to the Cox model, and more
SJ2-4	432	sxd3.1	Sample size for the kappa-statistic of interrater agreement